Saskatchewan Ministry of Agriculture

Crop Report

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 26, September 27, 2012

For the Period September 18 to 24, 2012

Producers now have 89 per cent of the 2012 crop combined, according to Saskatchewan Agriculture's weekly Crop Report. Eight per cent is swathed or ready to straight combine. The five-year (2007-2011) provincial average for this time of year is 70 per cent combined and 21 per cent swathed or ready to straight combine.

The southeast has 95 per cent combined; the southwest 97 per cent; the east central region 88 per cent; the west central region 85 per cent; the northeast 83 per cent and the northwest 82 per cent. Eighty-nine per cent of the spring wheat; 94 per cent of the durum; 92 per cent of the barley; 88 per cent of the canola and 51 per cent of the flax have been combined.

One year ago
Warm and dry weather allowed for producers to continue with harvest. Ninety-one per cent of the 2011 crop had been combined.

Follow the 2012 Crop Report on Twitter @SKGovAg

Provincially, topsoil moisture on cropland is rated as two per cent surplus, 43 per cent adequate, 36 per cent short and 19 per cent very short. Hay land and pasture topsoil moisture is rated as 40 per cent adequate, 34 per cent short and 26 per cent very short.

Pasture conditions across the province are rated as five per cent excellent, 41 per cent good, 32 per cent fair, 15 per cent poor and seven per cent very poor. Ninety per cent of livestock producers have indicated that they have adequate livestock water supplies.

Farmers are busy harvesting, hauling bales, harrowing fields and controlling weeds.

Harvest Progress in SK Per cent combined All Crops	
Sept 27/12	89
5 year avg. (2007-2011)	70
Sept 29/11	91
Sept 27/10	29
Sept 29/09	72
Sept 28/08	82
Sept 23/07	78

Saskatchewan Harvest September 24, 2012 % combined	
Winter wheat	99
Fall rye*	100
Spring wheat	89
Durum	94
Barley	92
Oats	80
Canaryseed	50
Flax	51
Canola	88
Mustard	90
Lentils	98
Peas	98
Chickpeas	83
*includes eight per cent 'other'	

For further information, contact: Grant McLean, PAg,
Cropping Management Specialist, Agriculture Knowledge Centre,
Toll Free: 1-866-457-2377, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

Agriculture and Agri-Food Canada | Agriculture et Agroalimentaire Canada

SCIC
SASKATCHEWAN CROP INSURANCE CORPORATION

Saskatchewan Crop Insurance Corporation - September 27

The deadline to submit forage claims and declarations is September 30. If producers have not completed harvest by this date, they may request an extension of insurance.

The last day for AgriStability participants to submit their 2011 program forms without penalty is September 30, 2012.

Southeastern Saskatchewan (Crop Districts 1, 2, and 3ASE)

Another week of warm and dry weather is helping to progress harvest. Producers in the southeast now have 95 per cent of the 2012 crop in the bin, up from 90 per cent last week. Crop district 1A has 98 per cent combined, CD 1B 96 per cent, CD 2A 92 per cent, CD 2B 95 per cent and CD 3ASE has 86 per cent combined.

The region did not receive any rainfall this past week. Topsoil moisture conditions are deteriorating as the majority of the region has not received rainfall since early August. Topsoil moisture ratings on cropland are reported as 29 per cent adequate, 47 per cent short and 24 per cent very short. On hay land and pasture, topsoil moisture is rated as 23 per cent adequate, 44 per cent short and 33 per cent very short. Crop District 2A is reporting that 47 per cent of cropland is very short of moisture. Crop Districts 1A and 2A are reporting that 52 per cent and 48 per cent, respectively, of hay and pasture are very short moisture. Rain will be needed after harvest to recharge the soil.

Pasture conditions are rated as one per cent excellent, 28 per cent good, 42 per cent fair, 25 per cent poor and four per cent very poor. Eighty-five per cent of livestock producers have adequate water supplies for their livestock, while 15 per cent are reporting inadequate water supplies.

Frost and strong winds, over the weekend, damaged some later-seeded crops. There have been fewer acres than normal seeded to winter cereals due to the dry soil conditions. Some producers are reporting heated crops in the bin and many are now aerating grain. Sloughs are being worked as an effort to reclaim acres that have not been seeded in recent years. Many producers are spraying for weeds but fall weed growth has been minimal in the dry conditions. Harvest should be completed in the coming week for most of the region.

Producers are busy combining, hauling bales, working the fields and spraying weeds.

Southwestern Saskatchewan (Crop Districts 3ASW, 3AN, 3B and 4)

Harvest is nearing completion in most of the region. Ninety-seven per cent of the 2012 crop has been combined, up from 93 per cent last week. CD 3ASW has 97 per cent combined, CDs 3AN, 3BN and 4A have 95 per cent combined and CDs 3BS and 4B have 99 per cent combined.
The region did not receive any rainfall this past week. Moisture conditions continue to worsen in most of the region due to the high temperatures and lack of rain over the past

few months. Topsoil moisture on cropland is rated as seven per cent adequate, 36 per cent short and 57 per cent very short. Hay land and pasture topsoil moisture conditions are six per cent adequate, 32 per cent short and 62 per cent very short. Crop District 4B is reporting that 75 per cent of cropland and 80 per cent of hay land and pasture are very short of moisture. A significant rain is needed to recharge the soil.

Pasture conditions are rated as one per cent excellent, 30 per cent good, 31 per cent fair, 18 per cent poor and 20 per cent very poor. Eighty-nine per cent of livestock producers have adequate water supplies for their livestock while 11 per cent are reporting inadequate water supplies.

Harvest will be completed in the coming week for the majority of the region. Fall field work continues; sloughs are being worked and many producers are spraying for weeds. Very few acres of winter cereals have been seeded due to lack of moisture; most producers who normally seed winter cereals will not this year. Frost was received over the weekend but damage to later-seeded crops is minimal. Some livestock producers are moving cattle to healthier pastures or are supplementing their diets with hay bales.

Producers are busy finishing combining, hauling bales and grain, harrowing fields and spraying weeds.

East-Central Saskatchewan (Crop Districts 5 and 6a)

Harvest is progressing quickly thanks to warm and dry weather. Eighty-eight per cent of the 2012 crop has been harvested, up from 73 per cent last week. Crop district 5A has 87 per cent combined, CD 5B 82 per cent, and CD 6A has 93 per cent combined.

Rainfall was not recorded in the region last week; topsoil continues to be dry. Cropland topsoil moisture is rated 40 per cent adequate, 53 per cent short and seven per cent very short. Hay land and pasture topsoil moisture is rated as 44 per cent adequate, 48 per cent short and eight per cent very short. Crop District 6A is reporting that 15 per cent of crop land is very short moisture.

Pasture conditions are rated as two per cent excellent, 30 per cent good, 40 per cent fair, 25 per cent poor and three per cent very poor. Ninety-seven per cent of livestock producers have adequate water supplies for their livestock.

Harvest will be wrapping up in the majority of the region within the next week or two. Fall work continues and many producers are baling a second cut of hay. Low spots and sloughs are being worked to help dry them out, although some fields are compacted due to spring flooding. Very few winter cereals were planted this fall and there are germination concerns for those acres that were seeded. Some later-seeded crops were damaged by frost over the weekend.

Producers are busy combining, hauling bales and grain, controlling weeds and working fields.

West-Central Saskatchewan (Crop Districts 6B and 7)

Significant harvest progress was made last week due to the warm and dry weather. Eighty-five per cent of the 2012 crop is in the bin, up from 64 per cent last week. Crop district 6B has 89 per cent combined, CD 7A 82 per cent and CD 7B has 84 per cent combined.

The region did not record any rain this past week. Crop land topsoil moisture conditions are rated as one per cent surplus, 54 per cent adequate, 38 per cent short and seven per cent very short. Hay land and pasture topsoil moisture conditions are rated as 50 per cent adequate, 42 per cent short and eight per cent very short. Crop District 7A is reporting that 14 per cent of crop land and hay and pasture land are very short moisture. The majority of the region will need a rainfall before winter.

Pasture conditions are rated as eight per cent excellent, 61 per cent good, 26 per cent fair and five per cent poor. Ninety-eight per cent of livestock producers have adequate water supplies for their livestock.

Frost has damaged later-seeded crops in some areas of the region. Some canola is slow to mature in the swath and high green counts are concerning some producers. Very little winter cereal acres were seeded this fall due to the lack of moisture and germination concerns. Most producers will be done harvest in the coming week or two.

Producers are busy combining, hauling bales and grain, working fields and spraying weeds.

Northeastern Saskatchewan (Crop Districts 8 and 9AE)

Warm and dry weather is quickly progressing harvest. Producers now have 83 per cent of the 2012 crop in the bin, significantly up from 55 per cent last week. The east side of the region is more advanced than the west side. Crop district 8A has 91 per cent of the crop combined, CD 8B 79 per cent and CD 9AE has 77 per cent combined.

The majority of the region recorded no rainfall last week, although the Prince Albert area received 2 mm of rain and the Debden area 1 mm. Topsoil moisture conditions continue to improve with the warm weather and lack of significant rainfall. Crop land topsoil moisture is rated as 11 per cent surplus, 86 per cent adequate and three per cent short. Hay land and pasture topsoil moisture is rated as two per cent surplus, 95 per cent adequate and three per cent short.

Pasture conditions are rated as 15 per cent excellent, 64 per cent good, 20 per cent fair and one per cent poor. Ninety-two per cent of livestock producers have adequate water supplies for their livestock, while eight per cent are indicating inadequate water supplies.

Some later-seeded crops have been impacted by frost, although damage is minimal in most fields. Many producers have indicated that volunteer weed control will be an issue next spring due to the wind-damaged crops. Some fields and access roads are still soft

with many ruts from heavy equipment. Harvest will be completed within the next week or two, if the warm weather continues.

Producers are busy combining, hauling bales and grain, controlling weeds and working fields.

Northwestern Saskatchewan (Crop Districts 9AW and 9B)

Harvest progress has almost doubled in the past week due to warm and dry weather. Eighty-two per cent of the 2012 crop is now in the bin, up from 45 per cent last week. Crop district 9AW has 89 per cent of the crop combined and CD 9B has 73 per cent of the crop combined.

The region recorded no rainfall for the week. Topsoil moisture conditions on cropland are three per cent surplus, 82 per cent adequate and 15 per cent short. Pasture and hay land topsoil moisture conditions are one per cent surplus, 81 per cent adequate and 18 per cent very short.

Pasture conditions are rated as 13 per cent excellent, 59 per cent good and 28 per cent fair. Ninety-nine per cent of livestock producers have adequate water supplies for their livestock.

Many producers will be done harvest in the next week, although some northern area crops may need some additional time. Strong winds received this month have shelled many crops and volunteer weeds will be an issue this fall and next spring. Fall work continues in the majority of the region.

Producers are busy combining, hauling bales, moving cattle, working fields and spraying weeds.

Saskatchewan Harvest Progress

Winter Wheat	% Standing	% in swath	% ready to straight combine	% combined
SE	0	0	0	100
SW*	0	0	0	99
EC	0	0	0	100
WC	0	0	0	100
NE	0	0	0	100
NW	0	0	0	100

* one per cent is rated as 'other'

Fall Rye	% Standing	% in swath	% ready to straight combine	% combined
SE	0	0	0	100
SW*	0	0	0	83
EC	0	0	0	100
WC	0	0	0	100
NE**	0	0	0	97
NW	0	0	0	100

* 17 per cent is rated as 'other'
** three per cent is rated as 'other'

Spring Wheat	% Standing	% in swath	% ready to straight combine	% combined
SE	1	1	1	97
SW	1	0	2	97
EC	0	2	4	94
WC	5	6	11	78
NE	1	5	8	86
NW	5	6	6	83

Durum	% Standing	% in swath	% ready to straight combine	% combined
SE	1	1	4	94
SW	1	0	1	98
EC	0	1	4	95
WC	13	6	10	71
NE	0	3	3	94
NW	N/A	N/A	N/A	N/A

Oats	% Standing	% in swath	% ready to straight combine	% combined
SE*	4	2	1	92
SW**	0	1	1	93
EC	2	10	8	80
WC**	6	6	7	76
NE	6	9	12	73
NW***	5	8	8	77

* one per cent is rated as 'other'
** five per cent is rated as 'other'
*** two per cent is rated as 'other'

Barley	% Standing	% in swath	% ready to straight combine	% combined
SE*	0	1	1	98
SW	1	0	2	97
EC	1	4	1	94
WC	3	5	7	85
NE	0	5	4	91
NW	5	6	4	85

Canary seed	% Standing	% in swath	% ready to straight combine	% combined
SE	32	7	2	59
SW	29	0	14	57
EC	45	14	8	33
WC	23	5	28	44
NE	1	9	25	65
NW	N/A	N/A	N/A	N/A

Lentils	% Standing	% in swath	% ready to straight combine	% combined
SE	0	0	0	100
SW	0	0	0	100
EC*	0	0	0	95
WC	0	4	2	94
NE**	0	0	0	97
NW	15	0	0	85

* five per cent is rated as 'other'
** three per cent is rated as 'other'

Peas	% Standing	% in swath	% ready to straight combine	% combined
SE*	0	0	0	99
SW	0	0	0	100
EC**	0	0	0	94
WC*	0	0	0	99
NE	0	0	0	100
NW*	4	0	0	95

* one per cent is rated as 'other'
** six per cent is rated as 'other'

Chickpeas	% Standing	% in swath	% ready to straight combine	% combined
SE	0	0	0	100
SW	16	0	2	82
EC	0	0	0	100
WC	0	0	0	100
NE	N/A	N/A	N/A	N/A
NW	N/A	N/A	N/A	N/A

Canola	% Standing	% in swath	% ready to straight combine	% combined
SE	0	2	0	98
SW	0	1	0	99
EC	0	13	1	86
WC	0	8	1	91
NE	0	16	2	82
NW	5	10	6	79

Mustard	% Standing	% in swath	% ready to straight combine	% combined
SE	0	0	0	100
SW	0	0	0	100
EC	0	1	1	98
WC	3	4	28	65
NE*	0	1	9	89
NW	N/A	N/A	N/A	N/A

* one per cent is rated as 'other'

Flax	% Standing	% in swath	% ready to straight combine	% combined
SE	32	5	7	56
SW	24	4	15	57
EC	12	18	18	52
WC	38	9	22	31
NE	48	15	18	19
NW	N/A	N/A	N/A	N/A

Triticale	% Standing	% in swath	% ready to straight combine	% combined
SE	N/A	N/A	N/A	N/A
SW*	0	1	0	70
EC	0	0	0	100
WC	0	1	0	99
NE	0	0	0	100
NW	N/A	N/A	N/A	N/A

* 29 per cent is rated as 'other'

Crop Districts and Rural Municipalities in Saskatchewan



Weekly Rainfall

for the week ending September 24, 2012



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2012 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: September 26, 2012

Weekly Rainfall Summary

(in millimeters) 1 inch = 25 mm for the period September 18 to 24, 2012

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	1	Argyle	NIL	181
	2	Mount Pleasant	NIL	243
	3	Enniskillen	NIL	317
	33	Moose Creek	NIL	266
	34	Browning	NIL	241
	61 A	Antler	NIL	343
	61 B	Antler	NIL	26
	63	Moose Mountain	NIL	364.3
	64	Brock	NIL	329
	65	Tecumseh	NIL	326
1B	91	Maryfield	NIL	347
	92	Walpole	NIL	302
	95	Golden West	NIL	301
	122	Martin	NIL	415
	123	Silverwood	NIL	384
	124	Kingsley	NIL	281
	151 A	Rocanville	NIL	533
	151 B	Rocanville	NIL	488
	153	Willowdale	NIL	391
	154	Elcapo	NIL	272
	155	Wolseley	NIL	388
2A	66	Griffin	NIL	N/A
	67	Weyburn	NIL	208
	68	Brokenshell	NIL	252
	69	Norton	NIL	N/A
	97	Wellington	NIL	338
2B	127 A	Francis	NIL	385.5
	127 B	Francis	NIL	266.7
	129	Bratt's Lake	NIL	318
	131	Baildon	NIL	380
	156	Indian Head	NIL	448.5
	160 A	Pense	NIL	327
	160 B	Pense	NIL	334
	161	Moose Jaw	NIL	364
	162	Caron	NIL	410.7
	191	Marquis	NIL	309
3ASE	38 A	Laurier	NIL	285
	38 B	Laurier	NIL	233
	39 A	The Gap	NIL	191
	39 B	The Gap	NIL	244
3ASW	10	Happy Valley	NIL	240
	12	Poplar Valley	NIL	275
	40	Bengough	NIL	213
	42	Willow Bunch	NIL	300
	43	Old Post	NIL	299
	44	Waverley	NIL	264
	70	Key West	NIL	187
	71	Excel	NIL	197
	73 A	Stonehenge	NIL	215.3
	73 B	Stonehenge	NIL	265
	74	Wood River	NIL	208.1
3AN	101	Terrell	NIL	313
	102	Lake Johnston	NIL	262.2
	103	Sutton	NIL	263
	104	Gravelbourg	NIL	254.5
	132	Hillsborough	NIL	379
	134	Shamrock	NIL	251
	164	Chaplin	NIL	244
	193 A	Eyebrow	NIL	312
	193 B	Eyebrow	NIL	384
	194	Enfield	NIL	358
3BS	17	Val Marie	NIL	457
	18	Lone Tree	NIL	N/A
	45	Mankota	NIL	329
	75 A	Pinto Creek	NIL	359
	75 B	Pinto Creek	NIL	255
	76 A	Auvergne	NIL	311
	76 B	Auvergne	NIL	308
	77	Wise Creek	NIL	262
	78 A	Grassy Creek	NIL	267
	78 B	Grassy Creek	NIL	220.5
	78 C	Grassy Creek	NIL	233
	105	Glenbain	NIL	281
	106	Whiska Creek	NIL	325
	107	Lac Pelletier	NIL	262
	108	Bone Creek	NIL	274
3BN	138	Webb	NIL	315
	166	Excelsior	NIL	366
	167	Sask. Landing	NIL	335.8
	168	Riverside	NIL	233
	226	Victory	NIL	400
	228	Lacadena	NIL	289
	257	Monet	NIL	311.7
4A	19	Frontier	NIL	217.6
	49	White Valley	NIL	247
	51	Reno	NIL	200.5
	79	Arlington	NIL	219
	109	Carmichael	NIL	346
	110	Piapot	NIL	244
	111	Maple Creek	NIL	314
4B	139	Gull Lake	NIL	315
	141	Big Stick	NIL	322
	142	Enterprise	NIL	215
	169	Pittville	NIL	221
	231	Happyland	NIL	252
5A	183	Fertile Belt	NIL	465
	186	Abernethy	NIL	415
	211	Churchbridge	NIL	418
	213	Saltcoats	NIL	393
	214	Cana	NIL	N/A
	216	Tullymet	NIL	408
	217	Lipton	NIL	384
	241	Calder	NIL	389
	243	Wallace	NIL	342
	245 A	Garry	NIL	467
	245 B	Garry	NIL	496
	245 C	Garry	NIL	425
	246	Ituna Bon Accord	NIL	374
	247	Kellross	NIL	376
	248	Touchwood	NIL	314
5B	271	Cote	NIL	474
	276	Foam Lake	NIL	288.5
	277	Emerald	NIL	459
	305	Invermay	NIL	403
	307	Elfros	NIL	445
	308	Big Quill	NIL	292
	333 A	Clayton	NIL	258.8
	334	Preeceville	NIL	377
	336	Sasman	NIL	389
	337	Lakeview	NIL	377
	338	Lakeside	NIL	272
	366	Kelvington	NIL	433
6A	189	Lumsden	NIL	321
	190 A	Dufferin	NIL	312
	190 B	Dufferin	NIL	308
	190 C	Dufferin	NIL	274
	190 D	Dufferin	NIL	403.4
	219	Longlaketon	NIL	280
	220	Mickillop	NIL	316
	221	Sarnia	NIL	298.5
	222	Craik	NIL	378
	251	Big Arm	NIL	283
	252	Arm River	NIL	295
	279	Mount Hope	NIL	309
	282	McCraney	NIL	406
	309	Prairie Rose	NIL	307
	313	Lost River	NIL	300
	339	Leroy	NIL	441.3
	340	Wolverine	NIL	378
	341	Viscount	NIL	352
	343	Blucher	NIL	373.5
	283	Rosedale	NIL	338
6B	284	Rudy	NIL	546
	285	Fertile Valley	NIL	457
	286	Milden	NIL	410
	314	Dundurn	NIL	362
	344	Corman Park	NIL	412
	346	Perdue	NIL	472
	376 A	Eagle Creek	NIL	406
	376 B	Eagle Creek	NIL	546
	403	Rosthern	NIL	447
	259	Snipe Lake	NIL	410.1
7A	260 A	Newcombe	NIL	238
	260 B	Newcombe	NIL	320
	287	St. Andrews	NIL	415
	288	Pleasant Valley	NIL	413
	290	Kindersley	NIL	316
	292	Milton	NIL	433.5
	317 A	Marriott	NIL	373
	317 B	Marriott	NIL	411
	318	Mountain View	NIL	413
	320 A	Oakdale	NIL	356
	320 B	Oakdale	NIL	333
	321	Prairiedale	NIL	372
7B	347 A	Biggar	NIL	430
	347 B	Biggar	NIL	367
	350 A	Manposa	NIL	480.4
	350 B	Manposa	NIL	406
	351	Progress	NIL	410
	352	Heart's Hill	NIL	439
	377	Glenside	NIL	512
	378 A	Rosemount	NIL	471
	378 B	Rosemount	NIL	480
	379	Reford	NIL	454
	381	Grass Lake	NIL	407
	409 A	Buffalo	NIL	556
	409 B	Buffalo	NIL	408.8
	410	Round Valley	NIL	316.9
	411	Senlac	NIL	443
8A	395	Porcupine	NIL	464
	397	Barrier Valley	NIL	463.9
	428	Star City	NIL	447
	456	Arborfield	NIL	532
	457	Connaught	NIL	622
	458	Willow Creek	NIL	429
	486	Moose Range	NIL	472
	487	Nipawin	NIL	567
8B	369	St. Peter	NIL	452
	370	Humboldt	NIL	471
	371	Bayne	NIL	543
	372	Grant	NIL	464.7
	402	Fish Creek	NIL	403
	429	Flett's Springs	NIL	480
	459	Kinistino	NIL	623
	460	Birch Hills	NIL	499.1
9AE	461	Prince Albert	NIL	471
	488	Torch River	NIL	434
	491	Buckland	2	447.9
9AW	406	Mayfield	NIL	454
	435	Redberry	NIL	450
	436	Douglas	NIL	386
	463	Duck Lake	NIL	434
	464	Leask	NIL	15
	467 A	Round Hill	NIL	390
	467 B	Round Hill	NIL	381
	494	Canwood	1	409
	497	Medstead	NIL	447
9B	438	Battle River	NIL	448
	440	Hillsdale	NIL	399
	442	Manitou Lake	NIL	375.9
	468 B	Mesta	NIL	38
	498 A	Parkdale	NIL	494
	498 B	Parkdale	NIL	390
	499	Mervin	NIL	414.6
	501 A	Frenchman Butte	NIL	422
	501 B	Frenchman Butte	NIL	328
	501 C	Frenchman Butte	NIL	496
	561	Loon Lake	NIL	470
	588 A	Meadow Lake	NIL	492
	588 B	Meadow Lake	NIL	458
	588 C	Meadow Lake	NIL	428
	588 D	Meadow Lake	NIL	437.1
	622	Beaver River	NIL	364

Municipality No: A, B, C, and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Cumulative Rainfall

From: April 1, 2012
To: September 24, 2012



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2012 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: September 26, 2012

Cropland Topsoil Moisture Conditions

September 25, 2012



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2012 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: September 26, 2012

Hay and Pasture Topsoil Moisture Conditions

September 25, 2012



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2012 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: September 26, 2012